



# Fry Station Solutions

*Supermarkets & Delis  
Restaurants & Cafés • Clubs & Bars*



**GRFF** in optional Gloss finish Brilliant Blue and **UGFF** in optional Gloss finish Glossy Gray *pg. 2*



**GRFFL** with optional 229 mm (9") display sign holder (sign not included) and *Designer Warm Red* color, and accessory food pan *pg. 2*



**MPWS-36** shown with optional fry bin insert *pg. 4*



**GRFHS-PT26** with accessory 8-pleat hardcoated fry box ribbon (scoop not included) *pg. 5*



**GRFHS-PTT21** *pg. 5*



**GRFSCL-18** with swing-away post mount and accessory food pan *pg. 5*



**Portable Foodwarmers**

Opt for the versatility of Hatco's Glo-Ray® and Ultra-Glo® Portable Foodwarmers. With heat from above, below or both, these foodwarmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows and service areas that require frequent and easy access.

- Portable – ready to plug in and use
- Versatile – available in many sizes, styles and heat sources to fit your needs
- Flexible – both top and bottom heat available
- Available with incandescent bulbs containing special protective coating to guard against food contamination

- Ceramic heating elements provide more distance between the heat source and the holding pan (UGFF series only)
- Toggle switch is standard; infinite switch optional on GRFF series
- All base heat units (GR-B, GRFFB and UGFFB) have a preset automatic thermostat to maintain consistent temperatures



**GR-B Heated Base with accessory sheet pan**

**GRFFB with optional infinite switch and accessory food pans**



**UGFFL in optional Gloss finish Radiant Red with accessory fry ribbon and food pan**

**GLO-RAY® PORTABLE FOODWARMERS**

Model†	Dimensions	Watts	Ship Weight
	W x D x H		
<b>GR-B</b>	324 x 559 x 57 mm (12¾" x 22" x 2¼")	250	7 kg (16 lbs.)
<b>GRFF</b>	314 x 610 x 400 mm (12⅝" x 24" x 15⅞")	500	7 kg (16 lbs.)
<b>GRFFL</b>	314 x 610 x 400 mm (12⅝" x 24" x 15⅞")	620	8 kg (18 lbs.)
<b>GRFFB§</b>	324 x 610 x 406-508 mm (12¾" x 24" x 16"-20")	750	12 kg (26 lbs.)
<b>GRFFBL§</b>	324 x 610 x 406-508 mm (12¾" x 24" x 16"-20")	870	14 kg (31 lbs.)

† 220V, 240V available with CE Mark.

§ Standard clearance is 356 mm (14"). Specify 05 or 406 mm (12" or 16") if required.

**All Portable Foodwarmer Models Feature:**

**Voltage:** 120, 220 or 240, single phase.

**Models Shipped with:** A 1829 mm (6') cord & plug set.

**Cord Location:** GR-B, GRFFB, GRFFBL: Back, lower middle.

GRFF, GRFFL: Back, upper middle.

TWO YEAR (2) PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

**ULTRA-GLO® PORTABLE FOODWARMERS WITH CERAMIC ELEMENTS**

Model†	Dimensions	Watts	Ship Weight
	W x D x H		
<b>UGFF</b>	314 x 565 x 479 mm (12⅝" x 22¼" x 18⅞")	750	7 kg (15 lbs.)
<b>UGFFL</b>	314 x 565 x 479 mm (12⅝" x 22¼" x 18⅞")	870	9 kg (19 lbs.)
<b>UGFFB</b>	324 x 572 x 559 mm (12¾" x 22½" x 22")	1000	12 kg (26 lbs.)
<b>UGFFBL</b>	324 x 572 x 559 mm (12¾" x 22½" x 22")	1120	14 kg (31 lbs.)

† 220V, 240V available with CE Mark.

**All Ceramic Portable Foodwarmer Models Feature:**

**Voltage:** 120, 220 or 240, single phase.

**Models Shipped with:** A 1829 mm (6') cord & plug set.

**Cord Location:** UGFF, UGFFL: Back, upper middle.®

UGFFB, UGFFBL: Back, lower middle.

ALL ULTRA-GLO® CERAMIC HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE (1) YEAR.

**OPTIONS AND ACCESSORIES – PAGE 3**





UGFFB with accessory food pan (perforated pan not available)

**OPTIONS** (available at time of purchase only)

**Designer Colors (one color per unit, heated base is not powdercoated) – Non-standard colors are non-returnable – Clear Anodized Standard –**

<b>RED</b>	Warm Red
<b>BLACK</b>	Black
<b>GRAY</b>	Gray Granite
<b>WHITE</b>	White Granite
<b>NAVY</b>	Navy Blue
<b>GREEN</b>	Hunter Green
<b>COPPER</b>	Antique Copper

**Gloss Finishes (one color per unit, heated base is not painted) – Non-standard colors are non-returnable –**

<b>RRED</b>	Radiant Red
<b>GGOLD</b>	Gleaming Gold
<b>GGRAY</b>	Glossy Gray
<b>BBLUE</b>	Brilliant Blue
<b>BBLACK</b>	Bold Black

**Clearance (from bottom of Glo-Ray to top of heated surface) – GRFFB, GRFFBL only – 356 mm (14") Standard –**

<b>305 mm (12")</b>	
<b>356 mm (14")</b>	
<b>406 mm (16")</b>	

**SIGN HOLD** Sign Holder for GRFFL model with Back Toggle only (requires 229 W x 140 H x 2 D mm [9" x 5½" x ⅛"] Sign, which is not included and adds 76 mm [3"] to height of unit)

**INF** Infinite Control (not available on models GR-B, UGFF, UGFFL, UGFFB or UGFFBL)

**ACCESSORIES** (available for purchase at any time)

<b>5PLTBOX</b>	Five-Pleat Hardcoated French Fry Box Ribbon – 489 W x 235 D x 51 H mm (19¼" x 9¼" x 2")
<b>8PLTBAG</b>	Eight-Pleat Hardcoated French Fry Bag Ribbon – 489 W x 235 D x 51 H mm (19¼" x 9¼" x 2")

**FRY RIBBONS - PAGE 6**

**FOOD PANS AND TRIVETS – PAGE 7**

**COLORS AND FINISHES – PAGE 7**



## Multi-Product Warming Stations

Hatco's redesigned Multi-Product Warming Station safely holds hot fried foods at optimum serving temperatures in kitchen work areas. The unit is designed for maximum durability and performance with minimum maintenance.

- New removable left/right side panel
- New wider, deeper side openings
- Easy access to food product
- Coated shatter-resistant incandescent lights enhance brilliant product display while safeguarding food from bulb breakage
- Six (6) overhead ceramic heating elements are adjusted by two (2) separate electronic infinite controls – one for the rear elements and one for the front elements
- Thermostatically-controlled base heat assures safe serving temperatures
- All stainless steel construction
- Master On/Off rocker switch



**MPWS-36** with accessory angled risers, fry pan and trivet (plastic pans not available)

### ENDLESS POSSIBILITIES OF CONFIGURATION

Incremental spacing between portable dividers is 130 mm (5 $\frac{1}{8}$ " )



Shown with optional fry bin insert and standard detachable side panel on right side



Shown with optional fry pans, accessory fry ribbon on angled riser and accessory scoop holder



Shown with optional fry pans, and accessory angled riser and scoop holder (plastic food pans not available)



Shown with accessory fry ribbons on angled risers, fry pan and scoop holder (plastic food pans not available)

### MULTI-PRODUCT WARMING STATIONS

Model†	No. of Bulbs	Dimensions W x D x H	Watts			Ship Weight
			120/208V	120/240V	230V	
<b>MPWS-36</b>	4	950 x 630 x 832 mm (37 $\frac{7}{16}$ " x 24 $\frac{13}{16}$ " x 32 $\frac{3}{4}$ " )	2773	2755	3075	69 kg (152 lbs.)
<b>MPWS-45</b>	4	1153 x 630 x 832 mm (45 $\frac{7}{16}$ " x 24 $\frac{13}{16}$ " x 32 $\frac{3}{4}$ " )	2799	2780	3108	78 kg (170 lbs.)

† CE Mark not available.

**All Multi-Product Warming Station Models Feature:**

**Plug:** 120/208V uses NEMA L14-20P. No plug on 230V.

**Models Shipped With:** 102 mm (4") adjustable legs, left/right side panel.

**Cord Location:** Back side, upper left corner.


ALL CERAMIC AND BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE (1) YEAR.

### OPTIONS (available at time of purchase only)

- MPWS36BIN** Full Fry Bin Insert for MPWS-36 unit only (includes Drip Tray, Perforated Insert and Three [3] Dividers)
- MPWS45BIN** Full Fry Bin Insert for MPWS-45 unit only (includes Drip Tray, Perforated Insert and Four [4] Dividers)

### ACCESSORIES (available for purchase at any time)

- FHS4BOX** Four-Pleat Hardcoated Fry Box Ribbon – 273 W x 127 D x 45 H mm (10 $\frac{3}{4}$ " x 5" x 1 $\frac{3}{4}$ " )
- FHS5BAG** Five-Pleat Hardcoated Fry Bag Ribbon – 299 W x 127 D x 48 H mm (11 $\frac{1}{4}$ " x 5" x 1 $\frac{5}{8}$ " )
- 5BH** 127 mm (5") Side-by-Side Bag Holder
- FHS-SH** Scoop Holder
- MPWS-RISER** Angled Riser
- MPWS-PT** Fry Pan and Trivet



**MPWS36BIN**



**FHS-SH**




**MPWS-RISER**

### FOOD PANS AND TRIVETS – PAGE 7

### OPTION CAPACITIES

Model	Fry Pan with Trivet	Angled Risers	Model	Fry Pan with Trivet	Angled Risers
<b>MPWS-36</b>	1	3	<b>MPWS-45</b>	1	4
	2	1		2	2
	0	5		0	6



## Glo-Ray® Fry Stations

Hatco offers convenient Glo-Ray® Fry Stations that can be placed where they are most needed – next to a fryer! Glo-Ray heat technology offers the ability to keep fried foods at optimum temperatures, ready to serve, without cooking or drying them out.

- Various hardcoated fry ribbons stage boxed or bagged products for quick-service areas
- Thermostatically-controlled heated base maintains uniform holding temperatures from below (GRFHS series)
- Portable models including pass-through style (GRFHS series)
- Sectional divider permits holding of multiple products simultaneously (GRFHS series)
- Accessory hardcoated fry ribbons absorb more radiant heat than stainless steel, can be up to 8° to 11°C (15° to 20°F) hotter (GRFHS series)
- Fry Station Warmers (GRFSC, GRFS series) feature a built-in top heat source and a swing-away post mount
- GRFSC series available with a ceramic heating element, while the GRFS series has metal sheathed or ceramic heating elements
- Variety of clearances (GRFS series)
- GRFS series has a power toggle switch, a cord & plug set, plus optional infinite control

GRFHS-21 with optional right-hand cutout for fry basket and accessory fry ribbon (left-hand cutout also available)



GRFHS-PTT21



GRFHS-16

### PORTABLE FRY HOLDING STATIONS

Model†	No. of Bulbs	Dimensions W x D x H	Watts	Ship Weight
GRFHS-16*	2	416 x 559 x 564 mm (16 <sup>3</sup> / <sub>8</sub> " x 22" x 22 <sup>3</sup> / <sub>16</sub> " )	1090	24 kg (51 lbs.)
GRFHS-21*	2	543 x 724 x 578 mm (21 <sup>3</sup> / <sub>8</sub> " x 28 <sup>1</sup> / <sub>2</sub> " x 22 <sup>3</sup> / <sub>4</sub> " )	1200	29 kg (63 lbs.)
GRFHS-26*	2	672 x 595 x 578 mm (26 <sup>7</sup> / <sub>16</sub> " x 23 <sup>7</sup> / <sub>16</sub> " x 22 <sup>3</sup> / <sub>4</sub> " )	1200	30 kg (66 lbs.)
GRFHS-PT16 <sup>▲</sup>	2	549 x 591 x 625 mm (21 <sup>5</sup> / <sub>8</sub> " x 23 <sup>1</sup> / <sub>4</sub> " x 24 <sup>5</sup> / <sub>8</sub> " )	1090	27 kg (60 lbs.)
GRFHS-PT26 <sup>▲</sup>	2	759 x 570 x 625 mm (29 <sup>7</sup> / <sub>8</sub> " x 22 <sup>7</sup> / <sub>16</sub> " x 24 <sup>5</sup> / <sub>8</sub> " )	1440	29 kg (64 lbs.)
GRFHS-PT26 <sup>■</sup>	2	759 x 570 x 625 mm (29 <sup>7</sup> / <sub>8</sub> " x 22 <sup>7</sup> / <sub>16</sub> " x 24 <sup>5</sup> / <sub>8</sub> " )	1440	29 kg (64 lbs.)
GRFHS-PTT21*	2	578 x 965 x 572 mm (22 <sup>3</sup> / <sub>4</sub> " x 38" x 22 <sup>1</sup> / <sub>2</sub> " )	1740	45 kg (100 lbs.)

† 220V, 240V available with CE Mark.

\* Add 44 mm (1<sup>3</sup>/<sub>4</sub>" ) to width if ordering scoop holder.

▲ Scoop holder standard.

■ 152 mm (6") deep base in lieu of standard 4" base.



GRFHSCL-18  
Swing-away  
post mount

#### All Portable Fry Holding Station Models Feature:

Voltage: 120, 220 or 240, single phase.

Models Shipped with: One (1) slotted holding bin and one (1) sectional divider.

Cord Location: GRFHS-16, -21, -22, -26, -PT16, -PT26: Back side, lower right corner.

GRFHS-PTT21: Lower right-hand side.

ALL CERAMIC AND BLANKET HEATING ELEMENTS  
WARRANTED AGAINST BURNOUT FOR ONE (1) YEAR.

### FRY STATION WARMERS

Model†	No. of Bulbs	Dimensions W x D x H	Watts	Ship Weight
GRFSC-18 <sup>□</sup>	—	152 x 457 x 489-572 mm (6" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> " )	750	11 lbs.
GRFSL-18 <sup>□</sup>	2	229 x 457 x 489-572 mm (9" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> " )	870	13 lbs.
GRFSCR-18 <sup>†</sup>	—	152 x 457 x 489-572 mm (6" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> " )	750	12 lbs.
GRFSCLR-18 <sup>†</sup>	2	229 x 457 x 489-572 mm (9" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> " )	870	14 lbs.
GRFS-24 <sup>□</sup>	—	152 x 610 x 318-394 mm (6" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> " )	500	10 lbs.
GRFSL-24 <sup>□</sup>	2	229 x 610 x 318-394 mm (9" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> " )	620	13 lbs.
GRFSR-24 <sup>†</sup>	—	152 x 610 x 318-394 mm (6" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> " )	500	10 lbs.
GRFSLR-24 <sup>†</sup>	2	229 x 610 x 318-394 mm (9" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> " )	620	13 lbs.

† 220V, 240V available with CE Mark.

□ Specify clearance of 305, 425, 457 (standard) or 508 mm (12, 16<sup>3</sup>/<sub>4</sub>", 18" or 20") when ordering.

† Fry Station Warmer without cord & plug set, UL Recognized. Supply wires through mounting post.

□ Specify clearance of 254, 279, 305 or 330 (standard) mm (10", 11", 12" or 13") when ordering.


#### All Fry Station Warmer Models Feature:

Voltage: 120, 220 or 240, single phase.

Toggle Switch Location: Ceramic Heating Element Models: Back of unit.

Metal Sheathed Heating Element Models: Front of unit.

Cord Location: GRFSC-18, GRFSL-18, GRFS-24 and GRFSL-24: Back, upper middle.





GRFS, GRFSL, GRFSC, GRFSL  
with swing-away post mount  
and cord with plug

ALL CERAMIC AND BLANKET HEATING ELEMENTS  
WARRANTED AGAINST BURNOUT FOR ONE (1) YEAR.

TWO (2) YEAR PARTS-ONLY WARRANTY ON ALL GLO-  
RAY® METAL-SHEATHED HEATING ELEMENTS.

### OPTIONS AND ACCESSORIES – PAGE 6





**OPTIONS** (available at time of purchase only)

<b>FHS-CUT</b>	Right- or Left-Hand Cutout for Fry Basket (must specify side at time of order). Adds 43 mm (1 <sup>11</sup> / <sub>16</sub> " ) to width of unit (GRFHS-16, -21, -26 models only)
<b>INF</b>	Infinite Control (metal sheathed GRFS models only)

**ACCESSORIES** (available for purchase at any time)

<b>5PLTBAG</b>	Five-Pleat Hardcoated French Fry Bag Ribbon – 489 W x 235 D x 51 H mm (19 <sup>1</sup> / <sub>4</sub> " x 9 <sup>1</sup> / <sub>4</sub> " x 2")
<b>8PLTBAG</b>	Eight-Pleat Hardcoated French Fry Bag Ribbon – 489 W x 235 D x 51 H mm (19 <sup>1</sup> / <sub>4</sub> " x 9 <sup>1</sup> / <sub>4</sub> " x 2")
<b>FHS4BOX</b>	Four-Pleat Hardcoated Fry Box Ribbon (GRFHS-16, -26) – 273 W x 127 D x 45 H mm (10 <sup>3</sup> / <sub>4</sub> " x 5" x 1 <sup>3</sup> / <sub>4</sub> " )
<b>FHS5BAG</b>	Five-Pleat Hardcoated Fry Bag Ribbon (GRFHS-16, -26) – 286 W x 127 D x 48 H mm (11 <sup>1</sup> / <sub>4</sub> " x 5" x 1 <sup>7</sup> / <sub>8</sub> " )
<b>FHS5BOX</b>	Five-Pleat Hardcoated Fry Box Ribbon (GRFHS-21) – 445 W x 127 D x 48 H mm (17 <sup>1</sup> / <sub>2</sub> " x 5" x 1 <sup>7</sup> / <sub>8</sub> " )
<b>FHS7BAG</b>	Seven-Pleat Hardcoated Fry Bag Ribbon (GRFHS-21) – 454 W x 127 D x 48 H mm (17 <sup>7</sup> / <sub>8</sub> " x 5" x 1 <sup>7</sup> / <sub>8</sub> " )
<b>PT26-10BAG</b>	Ten-Pleat Hardcoated Fry Bag Ribbon (GRFHS-PT26 and -PTT21) – 572 W x 127 D x 48 H mm (22 <sup>1</sup> / <sub>2</sub> " x 5" x 1 <sup>7</sup> / <sub>8</sub> " )
<b>5BH</b>	127 mm (5") Side-by-Side Bag Holder (GRFHS-21)
<b>FHS-SH</b>	Scoop Holder (adds 32 mm [1 <sup>1</sup> / <sub>4</sub> " ] to width of unit). One (1) standard on GRFHS-PT26, -PTT21 models (not available for GRFHS-22)
<b>FHSDIV1</b>	Sectional Divider for GRFHS-16, -26 and -PT16 models – 407 W x 83 H mm (16" x 3 <sup>1</sup> / <sub>4</sub> " )

**FOOD PANS AND TRIVETS – PAGE 7**



## Food Pans And Trivets



### FOOD PANS


Model	Description
<b>ALUM PAN</b>	Half-Size Sheet Pan – 457 W x 330 D mm (18" x 13")
<b>ST PAN 1/3</b>	Third-Size Stainless Steel Pan – 324 W x 175 D x 64 H mm (12 <sup>3</sup> / <sub>4</sub> " x 6 <sup>7</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>2</sub> " )
<b>ST PAN 1/2</b>	Half-Size Stainless Steel Pan – 324 W x 264 D x 64 H mm (12 <sup>3</sup> / <sub>4</sub> " x 10 <sup>3</sup> / <sub>8</sub> " D x 2 <sup>1</sup> / <sub>2</sub> " )
<b>ST PAN 2</b>	Full-Size Stainless Steel Pan – 324 W x 527 D x 64 H mm (12 <sup>3</sup> / <sub>4</sub> " x 20 <sup>3</sup> / <sub>4</sub> " x 2 <sup>1</sup> / <sub>2</sub> " )
<b>ST PAN 4</b>	Full-Size Stainless Steel Pan – 324 W x 527 D x 102 H mm (12 <sup>3</sup> / <sub>4</sub> " x 20 <sup>3</sup> / <sub>4</sub> " x 4" )

### FOOD PANS AND TRIVETS


Model	Description
<b>TF-10SAUTE</b>	254 mm (10") Aluminum Saute Pan with tapered sides
<b>Wire Trivets Stainless –</b>	
<b>TRIVET (1/2)SS</b>	Half-Size – 259 W x 194 D mm (10 <sup>3</sup> / <sub>16</sub> " x 7 <sup>7</sup> / <sub>8</sub> " )
<b>TRIVET SS</b>	Full-Size – 257 W x 457 D mm (10 <sup>1</sup> / <sub>8</sub> " x 18" )

## Paint Chip Sample Colors

### DESIGNER COLORS




### GLOSS FINISHES



*Colors are a representation and may not exactly match our colors.  
Consult factory for possible color matching options on these colors.  
Non-standard colors are non-returnable.*

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit [www.hatcocorp.com](http://www.hatcocorp.com) / Order Literature / Sales Literature / Sell Sheets.



Scan with web-enabled  
mobile device to visit  
[www.hatcocorp.com](http://www.hatcocorp.com)

## Hatco Corporation

P.O. BOX 340500 | Milwaukee, WI 53234-0500 USA

800-558-0607 | 414-671-6350

[www.hatcocorp.com](http://www.hatcocorp.com) | [support@hatcocorp.com](mailto:support@hatcocorp.com)